ELSEVIER

Fluid Phase Equilibria 132 (1997) 275–276

FLUID PHASE EQUILIBRIA

Contents of Volume 132 (1997)

Vol. 132, Nos. 1–2

Equilibrium properties: Theoretical papers

A comparison of Huron–Vidal type mixing rules of mixtures of compounds with large size differences, and a new mixing rule
H. Orbey (Singapore, Singapore) and S.I. Sandler (Newark, DE, USA) 1–14

DISQUAC and UNIFAC group interaction parameters for chloroalkanes
O. Dahmani, I. Wichterle (Prague, Czech Republic) and A. Ait-Kaci (Alger, Algeria) 15–20

Phase behaviour of oxygen adsorbed on graphite
G.-W. Wu and K.-Y. Chan (Hong Kong, Hong Kong) 21–31

Prediction of saturated liquid volumes of organic compounds
S.R.S. Sastri, S. Mohanty and K.K. Rao (Orissa, India) 33–46

Thermodynamic properties and structure of supercritical Stockmayer/Lennard–Jones fluid mixtures
H. Ohji, S. Morimoto (Shizuoka, Japan), I. Fujihara and S. Murakami (Osaka, Japan) 47–60

Correlation of liquid–liquid equilibria for alcohol/hydrocarbon mixtures using the CPA equation of state
E.C. Voutsas, G.M. Kontogeorgis, I.V. Yakoumis and D.P. Tassios (Athens, Greece) 61–75

An empirical method to evaluate the solubility of several gases in polar and non-polar solvents
A. Vetere (San Donato Milanese, Italy) 77–91

Phase equilibrium of quantum fluids from simulation: Hydrogen and neon
Q. Wang and J.K. Johnson (Pittsburgh, PA, USA) 93–116

UNIQUAC interaction parameters for molecules with –OH groups on adjacent carbon atoms in aqueous solution determined by molecular mechanics—glycols, glycerol and glucose
S.Ó. Jónsdóttir and R.A. Klein (Bonn, Germany) 117–137

Calculation of interfacial tensions with gradient theory
Y.-X. Zuo and E.H. Stenby (Lyngby, Denmark) 139–158

A new combining rule for mixture equations of state: higher order composition dependencies reduce to quadratic composition dependence
J.F. Luongo-Ortiz and K.E. Starling (Norman, OK, USA) 159–167

A mixing rule for the size parameter from Carnahan–Starling equation and Boublik–Mansoori equation
J. Chen, J. Lu and Y. Li (Beijing, People's Republic of China) 169–186

Equilibrium properties: Experimental papers

Experimental investigation of the multiphase high-pressure equilibria of carbon dioxide–water–(1-propanol)
T. Adrian, S. Oprescu and G. Maurer (Kaiserslautern, Germany) 187–203

Isobaric vapor–liquid equilibria of 3-methyl-1-butanol with methanol and vinyl acetate at 101.3 kPa
J.M. Resa, C. González, B. Moradillo and A. Ruiz (Vitoria, Spain) 205–213

Isobaric vapor–liquid equilibria of the system toluene + *n*-butanol at 94.0, 70.5, and 56.4 kPa
N.A. Darwish and A.A. Al-Khateib (Irbid, Jordan) 215–223

A method to determine experimental uncertainties from phase equilibria data of quaternary systems of hydrocarbons + water
M.A. Barrufet, K. Liu, S. Rahman and C. Wu (College Station, TX, USA) 225–246

Densities of ternary mixtures of benzene + cyclohexane + hexane between 298.15 and 473.15 K
N.M. Tukur and S.A. Beg (Dhahran, Saudi Arabia) 247–252

Transport properties

Concentration dependence of viscosity in the ternary system poly(vinylidenefluoride)–water–*N*,*N*-dimethylformamide at 20°C
L. Ambrosone (Campobasso, Italy), R. Sartorio and V. Vitagliano (Napoli, Italy) 253–263

Letter to the Editor

Some remarks on the nomenclature of refrigerants
U.K. Deiters (Cologne, Germany) 265–270

Subject index 271

Author index 273

Contents of Volume 275–276